

## Labnet Mini Microcentrifuge

Labnet has launched a new line of Mini Microcentrifuges, which will replace the current units. We have made several improvements, which are highlighted below. Operation is made simpler and more convenient with the design of a quick-release rotor system and electronic brake. Once samples are loaded and the lid is closed, the rotor rapidly accelerates to 6,000 rpm. This speed range is ideal for bringing small droplets to the bottom of the tubes or micro-filtrations or as basic separations.

Features	Old Mini Centrifuge	New Mini Centrifuge
Part Number	C1301, C1301-B, C1301-T, C1301-P, C1301-R	C1601-G, C1601-B, C1601-P, C1601-R
Maximum speed	6,000 rpm / 2,000 x g	6,000 rpm / 2,000 x g
Maximum capacity	6 x 1.5/2.0 mL or 2 x 0.2 mL strips	<b>8 x 1.5/2.0 mL or 4 x 0.2 mL strips</b>
Dimensions	5.9 x 5.9 x 4.6 in 15 x 15 x 11.7 cm	6.8 x 5.8 x 4.8 in 17.2 x 14.7 x 12.2 cm
Quick release rotors	N/A	<b>Yes</b>
Dual lid safety switch	N/A	<b>Yes</b>
Deceleration time	<5 seconds	<b>&lt;2 seconds</b>
Electrical	Separate SKUs for 120 & 230V	<b>Universal 100-240V</b>
Compliance marks	CE	<b>CE/TUV/CSA</b>
Warranty	1 year	<b>2 years</b>



Your Distributor is:  
 Braintree Scientific, Inc.  
 PO Box 850498, Braintree, MA 02185  
 781-917-9526  
 Email: [Info@braintreesci.com](mailto:Info@braintreesci.com)  
 Web: [www.braintreesci.com](http://www.braintreesci.com)